

Komax Tooling

Komax 34 and Kappa 210, 220, 225, 315 and 320 Stripping Blades

Used In These Machines

Komax 34
Kappa
210/220/225
Kappa
315/320

The Komax 34, Komax Kappa 210, Kappa 220, Kappa 225, Kappa 315 and Kappa 320 Machines use a single set of "Universal" Stripping Blades to remove the insulation from the end of a wire. Mechtrix blades for these Komax Machines are made to precision standards from a specially selected tool steel and micro-grain tungsten carbide to insure optimum performance and blade life. State-of-the-art manufacturing techniques are combined with Mechtrix patented technology to create perfect stripping form radii which produce the highest quality cutting tool possible.



Komax 34 and Kappa 210, 220, 225, 315 and 320 Universal Blades

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter		OEM Part Number
		(in)	(mm)	
K34 Stripping Blade (S73) - Carbide	07710-01	-	-	0016498 0016497
K34 Stripping Blade - Tool Steel	07710-02	-	-	0320174 0320175
K34 Stripping Blade - Ultra Hard Carbide	07710-04	-	-	-
K34 Solid Wire Blade (40°) - Ultra Hard Carbide	37148-02	-	-	0048444 0048443



Komax 34 and Kappa 210, 220, 225, 315 and 320 Radius V-Blades - Carbide

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter		OEM Part Number
		(in)	(mm)	
K34V-R0.5 Strip Blade - Carbide (C17)	30749-01	0.03937	1.00	0040554 0040555
K34V-R1.0 Strip Blade - Carbide (C17)	30750-01	0.07874	2.00	0035219 0035220
K34V-R1.5 Strip Blade - Carbide (C17)	30751-01	0.11811	3.00	0035221 0035222
K34V-R2.0 Strip Blade - Carbide (C17)	30752-01	0.15748	4.00	0035223 0035224
K34V-R2.5 Strip Blade - Carbide (C17)	30753-01	0.19685	5.00	0035350 0035351
K34V-R3.0 Strip Blade - Carbide (C17)	30754-01	0.23622	6.00	0042254 0042255



Komax 34 and Kappa 210, 220, 225, 315 and 320 Radius V-Blades - Tool Steel

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter		OEM Part Number
		(in)	(mm)	
K34V-R0.5 Strip Blade - Tool Steel (D2)	30748	0.03937	1.00	-
K34V-R1.0 Strip Blade - Tool Steel (D2)	26791	0.07874	2.00	-
K34V-R1.5 Strip Blade - Tool Steel (D2)	26792	0.11811	3.00	-
K34V-R2.0 Strip Blade - Tool Steel (D2)	26793	0.15748	4.00	-
K34V-R2.5 Strip Blade - Tool Steel (D2)	26794	0.19685	5.00	-
K34V-R3.0 Strip Blade - Tool Steel (D2)	26795	0.23622	6.00	-

A set of blades for the Komax 34, Kappa 210, 220, 225, 315 or 320 consists of two (2) K34 Series Strip Blades.

Komax Tooling

Komax 34 and Kappa 210, 220, 225, 315 and 320 Stripping Blades

Used In These Machines

Komax 34
Kappa
210/220/225
Kappa
315/320

In addition to the "Universal" Stripping Blades, Mechtrix also offers both our patented M-Series and Full Radius stripping form geometries for processing difficult insulations in the Komax 34, Kappa 210, 220, 225, 315 and 320 Machines. Please contact Mechtrix for assistance in selecting the appropriate style and size blade for your unique application.



Komax 34 and Kappa 210, 220, 225, 315 and 320 M-Series Blades

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter		OEM Part Number
		(in)	(mm)	
M-Series Blades are available in 0.1mm increments in the following sizes: K34M-0.3 thru K34M-11.0	-	-	-	-



Komax 34 and Kappa 210, 220, 225, 315 and 320 Full Radius Blades

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter		OEM Part Number
		(in)	(mm)	
Full Radius Blades are available in 0.1mm increments in the following sizes: K34-0.4D thru K34-11.0D	-	-	-	-

CR-701 Rotary Stripping Attachment

Used In These Machines

Komax
CR-701

The Komax CR-701 Rotary Stripping Attachment is used in conjunction with a Komax 34 Machines when processing coaxial cable. Mechtrix blades for the CR-701 Machines are made to precision standards from a specially selected tungsten carbide to insure optimum performance and blade life. Please contact Mechtrix for assistance in selecting the appropriate blade for your particular application.



Komax CR-701 Blades

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter		OEM Part Number
		(in)	(mm)	
Komax CR-701/CMS-801 Blade (Carbide)	12097	-	-	-

Mechtrix "Komax" Stripping Blades are protected by U.S. Patent 4,630,406 and U.S. Patent 4,577,405